

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (Currently amended). A portable communication terminal, comprising:

a communicating device that transmits and receives still image data and character data;

an imaging device that is capable of capturing a still image;

a character inputting device that is capable of inputting a character;

a storage device that stores still image data and character data received by the communicating device;

an image displaying device that displays a still image according to the still image data stored in the storage device and a still image captured by the imaging device; [[and]]

a character displaying device that [[display an image and]] displays a character [[characters]] according to [[the image data and]] the character data stored in the storage device and a character inputted by the character inputting device[[, respectively]]; and

a display control device that controls the displays of the image displaying device and the character displaying device.

2. (Cancelled)

3. (Cancelled)

4. (Original) The portable communication terminal as set forth in claim 1, wherein the image displaying device is color and the character displaying device is black-and-white.

5. (Original) The portable communication terminal as set forth in claim 1, wherein a resolution of the character displaying device is lower than that of the image displaying device.

a) 6. (Original) The portable communication terminal as set forth in claim 1, wherein the display control device makes both the image displaying device and the character displaying device work or makes one of them work and turns off the other one according to a state of the portable communication terminal.

7. (Original) The portable communication terminal as set forth in claim 1, wherein the portable communication terminal has a telephone function.

8. (Currently amended). The portable communication terminal as set forth in claim 7, [[further comprising]] wherein [[an]] the imaging device is capable of capturing a moving image; and[[, wherein]] the portable communication terminal has a Video phone function that displays [[the]] a moving image on the image displaying device according to [[the]] moving

image data received through the communication device and transmits moving image data captured by the imaging device through the communication device.

9. (Currently amended). The portable communication terminal as set forth in claim 7, [[further comprising an imaging device,]] wherein the portable communication terminal has an electronic camera function that stores the still image data captured by the imaging device in the storage device.

91 10. (Currently amended). The portable communication terminal as set forth in claim 1, further comprising:

a first connecting device connected to a printer; and

an outputting device that outputs the still image data of the still image displayed on the image displaying device to the printer through the first connecting device and a second connecting device of the printer.

11 (New). The portable communication terminal as set forth in claim 10, wherein the first connecting device is mechanically and directly connected to the second connecting device.

12 (New). The portable communication terminal as set forth in claim 10, wherein the first connecting device is connected to the second connecting device through a communication cable.

13 (New). The portable communication terminal as set forth in claim 10, wherein the first connecting device is connected to the second connecting device through short-distance wireless communication.

14 (New). The portable communication terminal as set forth in claim 6, wherein the display control device operably outputs an image to the image displaying device simultaneously with a character to the character displaying device.

91
15 (New). The portable communication terminal as set forth in claim 10, further comprising a print control device to vary characteristics of an image displayed on the image displaying device.

16 (New). The portable communication terminal as set forth in claim 1, further comprising a display adjustment device to vary characteristics of an image displayed on the image displaying device.

17 (New). The portable communication terminal as set forth in claim 15, wherein the print control device controls at least one of : a number of pints to be printed, zooming, trimming, brightness and chromaticity.

18 (New). The portable communication terminal as set forth in claim 16, wherein the display adjustment device varies characteristics of at least one of : zooming, brightness and chromaticity.

19 (New). The portable communication terminal as set forth in claim 10, wherein the outputting device outputs the still image data and the character data to the printer in accordance with the still image and the character displayed on the image displaying device and the character displaying device.

a1

20 (New). The portable communication terminal as set forth in claim 10, further comprising:

a superimposing device that produces image data by superimposing the character on the still image in accordance with the still image and the character displayed on the image displaying device and the character displaying device,

wherein the outputting device outputs the image data produced by the superimposing device to the printer.

21 (New). The portable communication terminal as set forth in claim 19, further comprising:

a designating device that designates a print-position of the character on a display of the image displaying device,

wherein the outputting device outputs data on the print-position designated by the designated device to the printer.

22 (New). The portable communication terminal as set forth in claim 20, further comprising:

a designating device that designates a print-position of the character on a display of the image displaying device,

wherein the superimposing device superimposes the character on the still image at the print-position designated by the designating device.

23 (New). A portable communication terminal comprising:

a communicating device that transmits and receives at least image data;

a storage device that temporarily stores the image data received by the communicating device;

a displaying device that displays an image according to the image data stored in the storage device;

a display control device that controls the displaying device to display a print area of the image;

a first connecting device connected to a printer; and

an outputting device that outputs the image data to the printer through the first connecting device so as to print the image within the print area displayed on the displaying device.

24 (New). The portable communication terminal as set forth in claim 23, wherein the display control device includes a zooming device, and the display control device changes a size of the print area in accordance with an instruction of zooming given by the zooming device.

25 (New). The portable communication terminal as set forth in claim 23, wherein the display control device includes a trimming device, and the display control device moves the print area within a display of the displaying device in accordance with an instruction of trimming given the trimming device.

a1
26 (New). The portable communication terminal as set forth in claim 23, wherein the outputting device outputs image data of an original image stored in the storage device and a command for designating the print area.

27 (New). The portable communication terminal as set forth in claim 23, wherein the outputting device abstracts image data for the print area of an original image stored in the storage device, and outputs the abstracted image data to the printer.

28 (New). The portable communication terminal as set forth in claim 23, wherein the outputting device abstracts image data for the print area of an original image stored in the storage device, resizes the abstracted image data to be suitable for the printer, and outputs the resized image data to the printer.
